

SECTION 6 – Strategic Growth Area Zones (SGA)

The Strategic Growth Area Zones apply to lands designated Strategic Growth Area A, Strategic Growth Area B, and Strategic Growth Area C in the City of Kitchener Official Plan.

6.1 APPLICABLE ZONES

SGA-1: Low Rise Growth Zone – the purpose of this zone is to create opportunities for missing middle housing and compatible non-residential *uses* in low-rise forms up to 11 metres in height. This *zone* applies to lands designated Strategic Growth Area A in the City of Kitchener Official Plan.

SGA-2: Mid Rise Growth Zone – the purpose of this *zone* is to create opportunities for moderate growth in mid-rise forms up to 8 *storeys* in height. The SGA-2 zone will permit a mix of residential and non-residential *uses*. This *zone* applies to lands designated Strategic Growth Area A or Strategic Growth Area B in the City of Kitchener Official Plan.

SGA-3: High Rise Growth Zone (Limited) – the purpose of this *zone* is to create opportunities for high-density growth in both mid and high-rise forms up to 28 *storeys* in height. The SGA-3 *zone* will permit a wide mix of residential and non-residential *uses*. This *zone* applies to lands designated Strategic Growth Area B or Strategic Growth Area C in the City of Kitchener Official Plan.

SGA-4: High Rise Growth Zone – the purpose of this *zone* is to create opportunities for high-density growth in both mid and high-rise forms. The SGA-4 zone will permit a wide mix of residential and non-residential *uses*. This zone applies to lands designated Strategic Growth Area C in the City of Kitchener Official Plan.

6.2 PERMITTED USES

No person shall, within any Strategic Growth Area Zone *use* or permit the *use* of any *lot* or erect, alter or *use* any *building* or *structure* for any purpose other than those permitted *uses* within Table 6-1 below.

Table 6-1: Permitted Uses within the Strategic Growth Area Zones

Use	SGA-1	SGA-2	SGA-3	SGA-4
Residential Uses				
<i>Dwelling unit</i>	✓	✓	✓	✓
<i>Hospice (1)</i>	✓	✓	✓	✓
<i>Large residential care facility (1)</i>		✓	✓	✓
<i>Lodging house (1)</i>	✓	✓	✓	✓
<i>Multiple dwelling</i>	✓	✓	✓	✓

Use	SGA-1	SGA-2	SGA-3	SGA-4
<i>Semi-detached dwelling (2)</i>	✓	✓(3)	(4)	
<i>Single detached dwelling (2)</i>	✓	✓(3)	(4)	
<i>Small residential care facility (1)</i>	✓	✓	✓	✓
<i>Street townhouse dwelling (2)</i>	✓	✓(3)	✓(7)	
Home Occupations				
<i>Home occupation</i>	(5)	(5)	(5)	(5)
Community Uses				
<i>Adult education school</i>		✓	✓	✓
<i>Community facility</i>	✓	✓	✓	✓
<i>Cultural facility</i>	✓	✓	✓	✓
<i>Day care facility</i>	✓	✓	✓	✓
<i>Elementary school</i>		✓	✓	✓
<i>Hospital</i>			✓	✓
<i>Place of worship</i>	✓	✓	✓	✓
<i>Post-secondary school</i>		✓	✓	✓
<i>Secondary school</i>		✓	✓	✓
<i>Social service establishment</i>	✓	✓	✓	✓
Commercial Uses				
<i>Artisan's establishment</i>	✓	✓	✓	✓
<i>Brewpub</i>	✓(6)	✓	✓	✓
<i>Catering services establishment</i>		✓	✓	✓
<i>Commercial entertainment</i>		✓	✓	✓
<i>Commercial parking facility</i>		✓	✓	✓
<i>Commercial school</i>	✓	✓	✓	✓
<i>Conference, convention, or exhibition Facility</i>			✓	✓

Use	SGA-1	SGA-2	SGA-3	SGA-4
<i>Craftsperson shop</i>	✓	✓	✓	✓
<i>Financial establishment</i>		✓	✓	✓
<i>Fitness centre</i>	✓	✓	✓	✓
<i>Health clinic</i>	✓ (6)	✓	✓	✓
<i>Hotel</i>		✓	✓	✓
<i>Light repair operation</i>	✓	✓	✓	✓
<i>Office</i>	✓	✓	✓	✓
<i>Payday loan establishment</i>		✓	✓	✓
<i>Pawn establishment</i>		✓	✓	✓
<i>Personal services</i>	✓	✓	✓	✓
<i>Pet services establishment</i>	✓	✓	✓	✓
<i>Print shop</i>	✓	✓	✓	✓
<i>Restaurant</i>	✓ (6)	✓	✓	✓
<i>Retail</i>	✓	✓	✓	✓
<i>Veterinary services</i>	✓ (6)	✓	✓	✓
Creative Industry Uses				
<i>Biotechnological establishment</i>		✓	✓	✓
<i>Computer, electronic, data processing or server establishment</i>		✓	✓	✓
<i>Creative products manufacturing</i>		✓	✓	✓
<i>Research and development establishment</i>		✓	✓	✓

Additional Regulations for Permitted Uses Table 6-1

- (1) Shall be in accordance with the regulations of the SGA zone and dwelling type in which the *lodging house, hospice, or large or small residential care facility* is located.
- (2) Up to 3 *dwelling units* shall be permitted on a *lot* containing a *single detached dwelling, semi-detached dwelling unit, or street townhouse dwelling unit* in accordance with the regulations for *additional dwelling units (attached) and (detached)* in Section 4.12.1, 4.12.2, and 4.12.3.

Notwithstanding Section 4.12, no minimum *lot width* or *lot area* shall apply to *additional dwelling units (attached) or (detached)* in an SGA zone.

- (3) Shall only be permitted on a *lot* containing an *existing single detached dwelling, semi-detached dwelling, or street townhouse dwelling*.
- (4) *New single detached dwellings and semi-detached dwellings* shall not be permitted. Additions and alterations to *existing dwellings* shall be permitted in accordance with Section 6.3.1, including allowing up to 3 units on a *lot*.
- (5) Shall be permitted in accordance with Section 4.7 (Home Occupation).
- (6) Shall only be permitted on *corner lots* and patios shall only be permitted in the *front* and *exterior side yard* in accordance with Section 4.14.8.1.
- (7) Shall only be permitted on a *lot* containing a *multiple dwelling*.

6.3 **SGA-1 ZONE REGULATIONS**

6.3.1 **Single Detached, Semi-Detached, and Street Townhouse Dwelling Units**

- a) Table 6-2 applies to *single detached dwellings, semi-detached dwelling units, and street townhouse dwelling units*.
- b) The regulations within Table 6-2 shall not apply to *existing buildings or structures*.

Table 6-2: Single Detached, Semi-Detached, and Street Townhouse Dwelling Units

Regulation	Single Detached Dwelling	Semi-Detached Dwelling unit	Street Townhouse Dwelling unit
Minimum <i>lot area</i>	235m ²	210m ²	135m ²
Minimum <i>lot width</i> (internal unit)	n/a	n/a	5.5m
Minimum <i>lot width</i> (external unit)	n/a	n/a	8.5m
Minimum <i>lot width</i>	9.0m	7.5m	n/a
Minimum <i>corner lot width</i>	12.8m	12.0m	11.5m
Minimum <i>interior side yard setback</i>	1.2m	1.2m	2.5m
Minimum <i>front yard or exterior side yard setback</i>	4.5m(1)(2)	4.5m(1)(2)	4.5m(1)
Minimum <i>rear yard setback</i>	7.5m	7.5m	7.5m
Maximum <i>lot coverage</i>	55%(3)	55%(3)	55%(3)
Maximum <i>building height</i>	11.0m	11.0m	11.0m

Maximum number of <i>storeys</i>	3	3	3
Rear yard access	n/a	n/a	(4)

Additional Regulations for Table 6-2

- (1) For an addition to an *existing dwelling* or demolition and replacement of an *existing dwelling*, the *existing front* and/or *exterior side yard setbacks* may be used as the minimum requirement.
- (2) No part of any *building* used to accommodate off street parking shall be located closer than 6 metres to the *street line*.
- (3) A combined total of 55 percent for all *buildings* and *structures* on the *lot*. *Accessory buildings* or *structures*, whether attached or detached, and *additional dwelling units (detached)* shall not exceed 15 percent.
- (4) Each *dwelling unit* shall have an unobstructed access at *grade* or ground floor level, having a minimum width of 0.9 metres, from the *front yard* to the *rear yard* of the *lot* either by:
 - a) direct access on the *lot* without passing through any portion of the *dwelling unit*; or,
 - b) direct access through the dwelling unit without passing through a living or family room, dining room, kitchen, bathroom, bedroom, or recreation room or any hallway that is not separated by a door to any such room; or
 - c) access over adjacent lands which, if the lands are not owned by the City or the Region, is secured by a registered easement.

6.3.2 Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings

- a) Table 6-3 applies to:
 - i. *Multiple dwellings*;
 - ii. *Mixed use buildings*; and,
 - iii. *Non-residential buildings*.
- b) The regulations within Table 6-3 shall not apply to *existing buildings* and *structures*.
- c) *Existing buildings* may be converted to the following, subject only to the applicable minimum *lot width*, minimum *lot area*, *parking spaces* on a *driveway* in the *front* and *exterior side yard*, and maximum non-residential *gross floor area* of Table 6-3:
 - i. a *multiple dwelling* with 4 or more *dwelling units*;
 - ii. a *mixed use building* containing 1 or more *dwelling units*; and,
 - iii. a non-residential *building*.

Table 6-3: Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings

Regulation	Number of dwelling units			Non-Residential Building
	4 (1)	5-10	11+	
Minimum <i>lot width</i>	12.0m	12.0m	18.0m	15.0m
Minimum <i>lot area</i>	350m ²	450m ²	700m ²	600m ²
Minimum <i>front yard setback</i>	4.5m	4.5m	4.5m	4.5m
<i>Parking spaces on a driveway in the front and/or exterior side yard</i>	(2)	(2)	(2)	n/a
Minimum <i>exterior side yard setback</i>	4.0m	4.0m	4.0m	4.0m
Minimum <i>rear yard setback</i>	7.5m	7.5m	7.5m	7.5m
Minimum <i>interior side yard setback A</i>	1.5m	1.5m	2.5m	2.5m
Minimum <i>interior side yard setback B</i>	2.5m	2.5m	2.5m	2.5m
Minimum <i>floor space ratio</i>	n/a	n/a	0.6	0.6
Maximum <i>building height</i>	11.0m	11.0m	11.0m	11.0m
Maximum <i>building length</i>	20.0m	24.0m	36.0m	36.0m
Minimum <i>street line façade openings</i>	20%	20%	20%	20%
Minimum <i>landscaped area</i>	30%	30%	30%	30%
Minimum <i>rear yard landscaped area</i>	40%	40%	40%	40%
Maximum non-residential <i>gross floor area</i> (3)	100m ²	150m ²	200m ²	200m ²

Additional Regulations for Table 6-3

- (1) Shall also apply to a *mixed use building* containing 1-3 *dwelling units*.
- (2) Despite Section 5.3.3 b) i), *parking spaces* may be provided in the *front* and *exterior side yard*, provided they are located on a *driveway* that conforms with regulations of Section 5.4 and Table 5-2 for *single detached dwelling*. No additional regulations shall apply for a *lot* identified on Appendix C – Central Neighbourhoods. *Parking spaces* may be located on a *driveway*.
- (3) Non-residential *gross floor area* shall not be permitted in a detached *accessory building* or *structure*.

6.4 **SGA-2 ZONE REGULATIONS**

6.4.1 **Single Detached, Semi-Detached, and Street Townhouse Dwellings**

- a) For *single detached dwellings*, *semi-detached dwelling units*, and *street townhouse dwelling units*, refer to Section 6.3.1 for regulations.

6.4.2 **Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings up to 4 Storeys in Height**

- a) For *multiple dwellings* up to 4 storeys in height, *mixed use buildings* up to 4 storeys in height, and non-residential *buildings* up to 4 storeys in height, refer to Section 6.3.2 for regulations.
- b) Further to subsection a), these *buildings* may exceed the maximum *building height*, maximum number of *storeys*, and maximum non-residential *gross floor area* within Table 6-3.

6.4.3 **Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings**

- a) Table 6-4 applies to:
- i. *Multiple dwellings* 5 storeys and greater;
 - ii. *Mixed use buildings* 5 storeys and greater; and,
 - iii. Non-residential *buildings* 5 storeys and greater.
- b) The regulations within Table 6-4 shall not apply to existing *buildings* or *structures*.

Table 6-4: Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings

Regulation	SGA-2
For Entire Building	
Minimum <i>lot width</i>	30.0m(1)
Minimum <i>lot area</i>	1,500m ²
Minimum <i>yard setback</i>	3.0m
Minimum <i>floor space ratio</i>	1.0
Maximum <i>building height</i>	8 storeys
Minimum <i>façade openings</i>	10%
Minimum <i>street line façade openings</i>	20%

Minimum landscape area	20%(2)
For Storeys 7 and Above	
Minimum <i>yard setback</i>	6.0m
Maximum <i>building</i> length	60.0m
Maximum <i>floor plate area</i>	2,000m ²
Transition to Low Rise Zones	
Maximum <i>building height</i> within 15m of a <i>lot</i> with an SGA-1 zone or a <i>lot</i> with a <i>low-rise residential zone</i>	20.0m(3)
Minimum <i>yard setback</i> where the <i>lot</i> abuts a <i>lot</i> with an SGA-1 zone or a <i>low-rise residential zone</i>	7.5m
For Lot Lines Abutting a Priority Street Identified on Appendix G	
Refer to Section 6.6 for additional regulations .	
Private Amenity Space Requirements	
Refer to Section 6.7 – Private Amenity Space .	

Additional Regulations for Table 6-4

- (1) Despite Section 3, for a *lot* with more than one *street line*, minimum *lot width* may be measured from the longest *lot line* abutting a *street*.
- (2) The requirement for a *lot* abutting a Priority Street segment identified on Appendix G shall be 0%.
- (3) Despite Section 4.19, this regulation shall apply (Transition to Low-Rise Zones).

6.5 SGA-3 AND SGA-4 ZONE REGULATIONS**Street Townhouse Dwellings**

- a) For *street townhouse dwelling units*, refer to Section 6.3.1 for regulations.

6.5.1 Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings up to 4 Storeys in Height

- a) For *multiple dwellings* up to 4 storeys in height, *mixed use buildings* up to 4 storeys in height, and non-residential *buildings* up to 4 storeys in height, refer to Section 6.3.2 for regulations.

- b) Further to subsection a), these *buildings* may exceed the maximum *building height*, maximum number of *storeys*, and maximum non-residential *gross floor area* within Table 6-3.

6.5.2 Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings

- a) Table 6-5 applies to:
- i. *Multiple dwellings* 5 storeys and greater;
 - ii. *Mixed use buildings* 5 storeys and greater; and,
 - iii. Non-residential *buildings* 5 storeys and greater.
- b) The regulations within Table 6-5 shall not apply to *existing buildings* or *structures*.

Table 6-5: Multiple Dwellings, Mixed Use Buildings, and Non-Residential Buildings


Regulation	SGA-3 & SGA-4
For Entire Building	
Minimum <i>lot width</i>	30.0m(1)
Minimum <i>lot area</i>	1,500m ²
Minimum <i>yard setback</i>	3.0m
Minimum <i>building base height</i>	3 storeys
Maximum <i>building base height</i>	6 storeys
Minimum <i>floor space ratio</i>	2.0
Maximum <i>building height</i> in the SGA-3 zone	28 storeys
Minimum <i>street line ground floor building height</i>	4.5m
Minimum <i>façade openings</i>	10%
Minimum <i>street line façade openings</i>	20%
For Storeys 7-12	
Minimum <i>lot width</i>	30.0m
Minimum <i>lot area</i>	1,500m ²
Minimum <i>front and exterior side yard setback</i>	6.0m
Maximum <i>building length</i>	60.0m
Maximum <i>floor plate area</i>	2,000m ²

<i>Physical separation</i>	6.0m
For Storeys 13-18	
Minimum <i>lot width</i>	36.0m
Minimum <i>lot area</i>	1,800m ²
Minimum <i>front and exterior side yard setback</i>	6.0m
Maximum <i>building length</i>	54.0m
Maximum <i>floor plate area</i>	1,200m ²
<i>Physical separation</i>	9.0m
For Storeys 19-36	
Minimum <i>lot width</i>	42.0m
Minimum <i>lot area</i>	2,000m ² ,
Minimum <i>front and exterior side yard setback</i>	6.0m
Maximum <i>building length</i>	48.0m
Maximum <i>floor plate area</i>	1,000m ²
<i>Physical separation</i>	12.0m
For Storeys 37 and Above	
Minimum <i>lot width</i>	48.0m
Minimum <i>lot area</i>	2,400m ²
Minimum <i>front and exterior side yard setback</i>	6.0m
Maximum <i>building length</i>	42.0m
Maximum <i>floor plate area</i>	900m ²
<i>Physical separation</i>	15.0m
Transition to Low Rise Zones	
Maximum <i>building height</i> within 15m of a <i>lot</i> with an SGA-1 zone or a <i>lot</i> with a <i>low-rise residential zone</i>	20.0m(2)
Maximum <i>building height</i> within 30m of a <i>lot</i> with an SGA-1 zone or a <i>lot</i> with a <i>low-rise residential zone</i>	30.0m(2)
Minimum <i>yard setback</i> where the <i>lot</i> abuts a <i>lot</i> with an SGA-1 zone or a <i>low-rise residential zone</i>	7.5m


For Lot Lines Abutting a Priority Street Identified on Appendix G
Refer to Section 6.6 – Priority Streets .
Private Amenity Space Requirements
Refer to Section 6.7 – Private Amenity Space .

Additional Regulations for Table 6-5

- (1) For a *lot* with more than one *street line*, minimum *lot width* may be measured from the longest *lot line* abutting a *street*.
- (2) Despite *Section 4.19*, this regulation shall apply (Transition to Low-Rise Zones).

Illustration 6-1: Physical Separation, Building Length, and Floor Plate Area

This diagram demonstrates in plan how the built form regulations are generally applied. For illustrative purposes only.


Illustration 6-2: Physical Separation

This diagram demonstrates in elevation how the physical separation regulation is generally applied. For illustrative purposes only.

6.6 PRIORITY STREETS

- a) For *lot lines* abutting *street line* segments identified on Appendix G – Priority Streets, the following shall apply:
 - i. a Community Use or Commercial Use listed in Table 6-1 shall occupy a minimum of 50% of the *street line ground floor*, excluding *office* and *commercial parking facility*;
 - ii. above *grade* structured *parking spaces* shall not be permitted along the *street line ground floor* or *street line* second floor, except for access;
 - iii. above *grade* structured *parking spaces* shall not occupy more than 50% of the area of the *street line façade* within the *base* of a *building*;
 - iv. surface *parking spaces* shall not be permitted within 6 metres of the *street line*;
 - v. on *lots* zoned SGA-2, the minimum *street line ground floor building height* shall be 4.5 metres. The requirement for *lots* zoned SGA-3 and SGA-4 shall be in accordance with Table 6-5;
 - vi. the minimum *street line ground floor façade openings* shall be 40%, measured between 0.5m and 4.5m above exterior finished *grade* along the entire width of the *street line façade*;

Illustration 6-3: Street Line Façade Openings Measurement



This diagram demonstrates in elevation how façade openings are measured. For illustrative purposes only.

- vii. for storeys 1-6, the minimum *interior side yard setback* shall be 0m; and,

viii. for storeys 2-6, the minimum *front* and *exterior side yard* shall be 0m;

6.7 PRIVATE AMENITY SPACE

a) *Amenity space* shall be required as follows:

- I. In an SGA-2 zone, 4m² of *amenity space* is required per *dwelling unit*; and,
- II. In an SGA-3 and SGA-4 zone, 8m² of *amenity space* is required per *dwelling unit*.

b) Further to subsection a), private amenity, where provided, may count towards *amenity space* requirements where they achieve:

- I. A minimum depth of 1.2m; and,
- II. A minimum area of 4m² each, excluding area occupied by mechanical equipment such as air conditioning units.

c) Further to subsection a) ii., where private amenity space totals less than 3m² per unit, 5m² of common amenity space is required per *dwelling unit*.

6.9 OUTDOOR STORAGE


a) No *outdoor storage* shall be permitted. This shall not however prevent the display of goods for *retail* purposes.

ATTACHMENT 3

Appendix G: Priority Streets

Priority Street Listing:

Benton St - FROM King St E TO Charles St E
Cedar St S - FROM King St E TO Charles St E
Charles St E - FROM Stirling Ave S TO Ottawa St S
Charles St W - FROM Victoria St S TO Benton St
Duke St E - FROM Queen St N TO Frederick St
Duke St W - FROM Young St TO Queen St N
Eby St N - FROM King St E TO Duke St E
Frederick St - FROM King St E TO Weber St W
Gaukel St - FROM King St W TO Joseph St
King St - FROM Waterloo Boundary TO Preston St
Ontario St - FROM Weber St W TO Joseph St
Ottawa St N - FROM King St E TO Weber St E
Ottawa St S - FROM King St E TO MTSA Boundary
Queen St - FROM Weber St W TO Joseph St
Victoria St N - FROM King St W TO MTSA Boundary
Victoria St S - FROM King St W TO MTSA Boundary
Water St N - FROM King St W TO Duke St W
Water St S - FROM King St W TO Joseph St
Young St - FROM King St W TO Duke St W



Lot lines abutting street line segments shown on this appendix are subject to additional zoning requirements in accordance with Section 6 – Strategic Growth Area Zones (SGA).

METRIC SCALE 1:78,000
 0 500 1,000 2,000
 Meters

