



THE CORPORATION OF THE
TOWNSHIP OF WILMOT
INFRASTRUCTURE SERVICES
DEPARTMENT


PETERSBURG

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

SHEET INDEX


KEY PLAN



1. PLAN AND PROFILE - DEERFIELD AVENUE - STA. 0+000 TO STA. 0+129
2. PLAN AND PROFILE - DEERFIELD AVENUE - STA. 0+117 TO STA. 0+250
3. PLAN AND PROFILE - DEERFIELD AVENUE - STA. 0+250 TO STA. 0+386
4. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+000 TO STA. 0+102
5. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+090 TO STA. 0+224
6. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+224 TO STA. 0+324
7. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+310 TO STA. 0+446
8. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+446 TO STA. 0+584
9. PLAN AND PROFILE - ALICE CRESCENT - STA. 0+578 TO STA. 0+617
10. PLAN AND PROFILE - REDFORD DRIVE - STA. 0+000 TO STA. 0+135
11. PLAN AND PROFILE - REDFORD DRIVE - STA. 0+135 TO STA. 0+197
12. PLAN AND PROFILE - NOTRE DAME DRIVE - STA. 0+019 TO STA. 0+155
13. PLAN AND PROFILE - NOTRE DAME DRIVE - STA. 0+155 TO STA. 0+291
14. PLAN AND PROFILE - NOTRE DAME DRIVE - STA. 0+291 TO STA. 0+427
15. PLAN AND PROFILE - NOTRE DAME DRIVE - STA. 0+427 TO STA. 0+563
16. PLAN AND PROFILE - NOTRE DAME DRIVE - STA. 0+563 TO STA. 0+614
17. PLAN AND PROFILE - SNYDER'S ROAD EAST - STA. 0+000 TO STA. 0+135
18. PLAN AND PROFILE - SNYDER'S ROAD EAST - STA. 0+135 TO STA. 0+271
19. PLAN AND PROFILE - SNYDER'S ROAD EAST - STA. 0+271 TO STA. 0+407
20. INTERSECTION GRADING AND PAVEMENT MARKING - PETERSBURG
21. PAVEMENT MARKING PLAN - NOTRE DAME DRIVE - STA. 0+050 TO STA. 0+614
22. PAVEMENT MARKING PLAN - SNYDER'S ROAD EAST - STA. 0+045 TO STA. 0+420
23. TYPICAL CROSS SECTIONS AND DETAILS - PETERSBURG
24. DRIVEWAY CROSS SECTIONS - DEERFIELD AVENUE & REDFORD DRIVE
25. DRIVEWAY CROSS SECTIONS - ALICE CRESCENT - STA. 0+021 TO STA. 0+338
26. DRIVEWAY CROSS SECTIONS - ALICE CRESCENT - STA. 0+385 TO STA. 0+583
27. CONSTRUCTION STAGING PLAN - PETERSBURG
28. NOTES AND DETAILS PLAN - PETERSBURG

MAY 15, 2026

INFRASTRUCTURE SERVICES DEPARTMENT



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT OUTLET.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

STRUCTURES TO BE PROTECTED

TREES TO BE REMOVED

SEEDING CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 848 BWM 371. TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING R.R. 40' COVER WAY 70'. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 1.8m VOR S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENERGY GAS

HYDRO

HYDRO ONE

RODGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15, 2026	J.S.

REVISIONS

THE CORPORATION OF THE TOWNSHIP OF WILMOT

INFRASTRUCTURE SERVICES DEPARTMENT

DEERFIELD DRIVE

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

DEERFIELD DRIVE

STA. 0+250 TO 0+386

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50


DATE: MAY 15, 2026



DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

ENGINEERS STAMP






- GENERAL NOTES**
- THE POSITION OF POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.
- BEFORE STARTING WORK, THE CONTRACTOR SHALL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.
- ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.
- ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT OUTLET.
- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEGMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION


GEODETIC BENCHMARK ELEV. = 365.566

BM WMAH BWM 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RAIL RD TO OVER-HAY 7th. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m FROM S END OF WALL.

- MUNICIPAL SERVICES:**
- EXISTING SANITARY SEWER
- EXISTING STORM SEWER
- EXISTING WATER MAIN
- PROPOSED SANITARY SEWER
- PROPOSED STORM SEWER
- PROPOSED WATER MAIN
- UTILITIES:**
- BELL TELEPHONE
- ENERGY GAS
- HYDRO
- HYDRO ONE
- ROGERS COMMUNICATIONS



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT OUTLET.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

TREES TO BE PROTECTED

TREES TO BE REMOVED

SEEDMENT CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 1048 BWM 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING ROAD TO OVER-HAY TR. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m FROM S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENERGISE GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15, 2026	JRS

REVISIONS

THE CORPORATION OF THE TOWNSHIP OF WILMOT
INFRASTRUCTURE SERVICES DEPARTMENT

ALICE CRESCENT

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

ALICE CRESCENT

STA. 0+090 TO 0+224

PLAN & PROFILE

SCALE: HORIZ. 1:200
VERT. 1:50

DATE: MAY 15, 2026

DRAWN BY: J.S.


DESIGNED BY: J.S.



REVIEWED BY: D.R.

ENGINEERS STAMP

CHARGE

SHEET: 5 OF 28





KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATER MAINS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATIVE TO CURBS ARE FROM BASE OF CURB AT GUTTER.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

TREES TO BE PROTECTED

TREES TO BE REMOVED

SEEDING CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

301.060

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 1048 371.71, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RD 10 OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m FROM S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENRIDGE GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

REVISIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS

WILMOT

THE CORPORATION OF THE TOWNSHIP OF WILMOT

INFRASTRUCTURE SERVICES DEPARTMENT

ALICE CRESCENT

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

ALICE CRESCENT

STA. 0+224 TO 0+324

PLAN & PROFILE

SCALE: HORIZ: 1:200 VERT: 1:50

DATE: MAY 15, 2026

DESIGNED BY: J.S.



DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

ENGINEERS STAMP

CHARGE: SHEET 6 OF 28



GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

TREES TO BE PROTECTED

TREES TO BE REMOVED

SEEDMENT CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM W/IN 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RAIL RD. OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m FROM S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:


BELL TELEPHONE

ENERGISE GAS

HYDRO

HYDRO ONE

RODGERS COMMUNICATIONS



REVISIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15, 2025	JRS

Wilmot

THE CORPORATION OF THE TOWNSHIP OF WILMOT

INFRASTRUCTURE SERVICES DEPARTMENT

ALICE CRESCENT

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

ALICE CRESCENT

STA. 0+446 TO 0+584

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50

DATE: MAY 15, 2025


DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

CHARGE: SHEET 8 OF 28

ENGINEERS STAMP



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR WILL PROBE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEEDMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM WAS BMM 371. TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RED RD. OVER HWY 78. TABLET IS SET IN IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENERGY GAS

HYDRO ONE

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS

REVISIONS

THE CORPORATION OF THE TOWNSHIP OF WILMOT

INFRASTRUCTURE SERVICES DEPARTMENT

ALICE CRESCENT

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

ALICE CRESCENT

STA. 0+578 TO 0+617

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50


DATE: MAY 15, 2026


DRAWN BY: J.S.

DESIGNED BY: J.S.


REVIEWED BY: D.R.

ENGINEERS STAMP





MATCHLINE STATION 0+135 SEE SHEET 11 OF 28



GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

- ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.
- STRUCTURES TO BE ABANDONED
 - STRUCTURES TO BE REMOVED
 - STRUCTURES TO BE PROTECTED
 - TREES TO BE REMOVED
 - TREES TO BE PRESERVED
 - SEDIMENT CONTROL REQUIRED

GEODETIC BENCHMARK ELEV. = 365.566


BM 1948 371, TABLE SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RED RD. OVER HWY 78. TABLE IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

- EXISTING SANITARY SEWER
- EXISTING STORM SEWER
- EXISTING WATER MAIN
- PROPOSED SANITARY SEWER
- PROPOSED STORM SEWER
- PROPOSED WATER MAIN

UTILITIES:

- BELL TELEPHONE
- ENBRIDGE GAS
- HYDRO ONE
- ROGERS COMMUNICATIONS



No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS



REDFORD DRIVE

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

REDFORD DRIVE


STA. 0+000 TO 0+135

PLAN & PROFILE


PROPOSED PROFILE (PROD)	EXISTING PROFILE (PROD)	PROPOSED PROFILE (PROD)	EXISTING PROFILE (PROD)
DATE: MAY 15, 2026	DATE: MAY 15, 2026	DATE: MAY 15, 2026	DATE: MAY 15, 2026
DESIGNED BY: J.S.	DESIGNED BY: J.S.	DESIGNED BY: J.S.	DESIGNED BY: J.S.
REVIEWED BY: D.R.	REVIEWED BY: D.R.	REVIEWED BY: D.R.	REVIEWED BY: D.R.
CHARGE SHEET: 10 OF 28	CHARGE SHEET: 10 OF 28	CHARGE SHEET: 10 OF 28	CHARGE SHEET: 10 OF 28

2026-05-18 8:43 AM

M.C. DESIGN & CONSTRUCTION INC. ENGINEERING, DESIGN, CONSULTING, CONSTRUCTION, PROJECT MANAGEMENT, INFRASTRUCTURE SERVICES



MATCHLINE STATION 0+155 SEE SHEET 13 OF 28




- GENERAL NOTES**
- THE POSITION OF POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.
- BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.
- ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.
- ALL DIMENSIONS RELATED TO CURBS ARE FROM FACE OF CURB AT OUTER.
- STRUCTURES TO BE ABANDONED
 - STRUCTURES TO BE REMOVED
 - TREES TO BE PROTECTED
 - TREES TO BE REMOVED
 - SEDIMENT CONTROL REQUIRED
 - EX. TACTILE WARNING PLATE
 - PROPOSED TACTILE WARNING PLATE
 - EX. ELEVATION
 - PROP. ELEVATION
 - PIPE INSULATION



GEODETIC BENCHMARK ELEV. = 365.566

BM 1945 BUN 371. TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING R.R. OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.


- MUNICIPAL SERVICES:**
- EXISTING SANITARY SEWER
 - EXISTING STORM SEWER
 - EXISTING WATER MAIN
 - PROPOSED SANITARY SEWER
 - PROPOSED STORM SEWER
 - PROPOSED WATER MAIN
- UTILITIES:**
- BELL TELEPHONE
 - ENBRIDGE GAS
 - HYDRO ONE
 - ROGERS COMMUNICATIONS




No.	DESCRIPTION	DATE	BY
4	ISSUED FOR TENDER	MAY 15/2026	JRS
3	Revised per Region Comments	FEB. 25/26	D.R.
2	Revised per Region Comments	JAN. 18/26	D.R.
1	ISSUED FOR REVIEW AND APPROVAL	JAN. 07/26	D.R.
REVISIONS			
THE CORPORATION OF THE TOWNSHIP OF WILMOT INFRASTRUCTURE SERVICES DEPARTMENT			
NOTRE DAME DRIVE WATER SYSTEM REPLACEMENT CONTRACT RFT2026-06 NOTRE DAME DRIVE STA. 0+019 TO 0+155			
PLAN & PROFILE			
SCALE:	HORIZ. 1:200 VERT. 1:50		
DATE:	MAY 15, 2026	ENGINEERS STAMP	
PROPOSED STW SEWER (INVERTS):	J.S.		
DESIGNED BY:	J.S.		
REVIEWED BY:	D.R.		
CHANGE:	SHEET 12 OF 28		



MATCHLINE STATION 0+291 SEE SHEET 13 OF 28



MATCHLINE STATION 0+427 SEE SHEET 15 OF 28



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL LOCATE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

STRUCTURES TO BE PROTECTED

TREES TO BE REMOVED

TREES TO BE PRESERVED

SEEDING CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM WAS RUN 371. TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RSD 15 OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENERGY GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

REVISIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS
2	Revised per Region Comments	FEB. 25/26	D.R.
3	Revised per Region Comments	JAN. 18/26	D.R.
4	ISSUED FOR REVIEW APPROVAL	JAN. 27/26	D.R.

NOTRE DAME DRIVE

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

NOTRE DAME DRIVE

STA. 0+291 TO 0+427

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50


DATE: MAY 15, 2026

DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

CHARGE: 14 OF 28



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTORS WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEGMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM WMS BMN 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING Rte 10 OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m FROM S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENERGY GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS
2	REVISIONS		
3	REVISIONS		
4	REVISIONS		
5	REVISIONS		
6	REVISIONS		
7	REVISIONS		
8	REVISIONS		
9	REVISIONS		
10	REVISIONS		
11	REVISIONS		
12	REVISIONS		
13	REVISIONS		
14	REVISIONS		
15	REVISIONS		
16	REVISIONS		
17	REVISIONS		
18	REVISIONS		
19	REVISIONS		
20	REVISIONS		
21	REVISIONS		
22	REVISIONS		
23	REVISIONS		
24	REVISIONS		
25	REVISIONS		
26	REVISIONS		
27	REVISIONS		
28	REVISIONS		
29	REVISIONS		
30	REVISIONS		
31	REVISIONS		
32	REVISIONS		
33	REVISIONS		
34	REVISIONS		
35	REVISIONS		
36	REVISIONS		
37	REVISIONS		
38	REVISIONS		
39	REVISIONS		
40	REVISIONS		
41	REVISIONS		
42	REVISIONS		
43	REVISIONS		
44	REVISIONS		
45	REVISIONS		
46	REVISIONS		
47	REVISIONS		
48	REVISIONS		
49	REVISIONS		
50	REVISIONS		
51	REVISIONS		
52	REVISIONS		
53	REVISIONS		
54	REVISIONS		
55	REVISIONS		
56	REVISIONS		
57	REVISIONS		
58	REVISIONS		
59	REVISIONS		
60	REVISIONS		
61	REVISIONS		
62	REVISIONS		
63	REVISIONS		
64	REVISIONS		
65	REVISIONS		
66	REVISIONS		
67	REVISIONS		
68	REVISIONS		
69	REVISIONS		
70	REVISIONS		
71	REVISIONS		
72	REVISIONS		
73	REVISIONS		
74	REVISIONS		
75	REVISIONS		
76	REVISIONS		
77	REVISIONS		
78	REVISIONS		
79	REVISIONS		
80	REVISIONS		
81	REVISIONS		
82	REVISIONS		
83	REVISIONS		
84	REVISIONS		
85	REVISIONS		
86	REVISIONS		
87	REVISIONS		
88	REVISIONS		
89	REVISIONS		
90	REVISIONS		
91	REVISIONS		
92	REVISIONS		
93	REVISIONS		
94	REVISIONS		
95	REVISIONS		
96	REVISIONS		
97	REVISIONS		
98	REVISIONS		
99	REVISIONS		
100	REVISIONS		

NOTRE DAME DRIVE

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

NOTRE DAME DRIVE

STA. 0+427 TO 0+563

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50


DATE: MAY 15, 2026



DESIGNED BY: J.S.

REVIEWED BY: D.R.

ENGINEERS STAMP

15 OF 28





KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEEDING CONTROL REQUIRED

- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM WMS 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RSD RD. OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENBRIDGE GAS

HYDRO

HYDRO ONE

RODGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS
2	Revised per Region Comments	FEB. 25/2026	D.R.
3	Revised per Region Comments	JAN. 18/26	D.R.
4	ISSUED FOR INFRASTRUCTURE MATERIAL	JAN. 27/26	D.R.

REVISIONS

THE CORPORATION OF THE TOWNSHIP OF WILMOT

INFRASTRUCTURE SERVICES DEPARTMENT

NOTRE DAME DRIVE

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

NOTRE DAME DRIVE

STA. 0+563 TO 0+614

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50

DATE: MAY 15, 2026

DESIGNED BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

REVIEWED BY: D.R.

CHANGING: 16 OF 28

PROPOSED PROFILE (PROJ.)

EXISTING PROFILE (PROJ.)

PROPOSED STW SEWER (INVERTS)

PROPOSED SAN SEWER (INVERTS)

CHANGING


PROPOSED PROFILE (PROJ.)

EXISTING PROFILE (PROJ.)


PROPOSED STW SEWER (INVERTS)

PROPOSED SAN SEWER (INVERTS)

CHANGING



MATCHLINE STATION 0+135 SEE SHEET 18 OF 28



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT OUTLET.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

TREES TO BE PROTECTED

TREES TO BE REMOVED

SEEDMENT CONTROL REQUIRED

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENBRIDGE GAS

HYDRO

HYDRO ONE

RODGERS COMMUNICATIONS

GEODETIC BENCHMARK ELEV. = 365.566

BM 1668 SNYD 371: TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RSD 10.2 OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 8.2m ABOVE CHAMFER AND 1.6m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

REVISIONS

No.	DESCRIPTION	DATE	BY
4	ISSUED FOR TENDER	MAY 15/2026	JRS
3	Revised per Region Comments	FEB. 25/2026	D.R.
2	Revised per Region Comments	JAN. 18/2026	D.R.
1	ISSUED FOR REGIONAL APPROVAL	JAN. 07/2026	D.R.

SNYDER'S ROAD EAST

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

SNYDER'S ROAD EAST

STA. 0+000 TO 0+135

PLAN & PROFILE

SCALE: HORIZ: 1:200 VERT: 1:50

ENGINEERS STAMP




DATE: MAY 15, 2026

DRAWN BY: J.S.


DESIGNED BY: J.S.

REVIEWED BY: D.R.

SHEET: 17 OF 28




ELEVATION (m)		ELEVATION (m)	
368		368	
367		367	
366		366	
365		365	
364		364	
363		363	
362		362	
361		361	
360		360	
SNYDER'S ROAD EAST			
WATER SYSTEM REPLACEMENT			
CONTRACT RFT2026-06			
SNYDER'S ROAD EAST			
STA. 0+135 TO 0+271			
PLAN & PROFILE			
PROPOSED PROFILE (ROAD)	EXISTING PROFILE (ROAD)	PROPOSED PROFILE (ROAD)	EXISTING PROFILE (ROAD)
PROPOSED STM SEWER (INVERTS)	EXISTING STM SEWER (INVERTS)	PROPOSED SAN SEWER (INVERTS)	EXISTING SAN SEWER (INVERTS)
CHANGE	CHANGE	CHANGE	CHANGE
0+140	0+160	0+180	0+200
0+220	0+240	0+260	0+280
SCALE: HORIZ. 1:200 VERT. 1:50		ENGINEERS STAMP	
DATE: MAY 15, 2025		DRAWN BY: J.S.	
DESIGNED BY: J.S.		REVIEWED BY: D.R.	
SHEET: 18 OF 28		PROJECT: SNYDER'S ROAD EAST	



PAVEMENT STRUCTURE	
GRANULAR "A"	150mm
BASE ASPHALT SP19	450mm
SURFACE ASPHALT SP12.5 FC2	100mm (2 Lifts @ 50mm)

NOTE:
- ASPHALT AND GRANULAR DEPTHS SHALL BE NO LESS THAN EXISTING.
- ALL ASPHALT JOINTS SHALL HAVE A MILLED STEP JOINT AS PER RWBY STANDARD DRAWING 207.




- GENERAL NOTES**
- THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.
- BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.
- ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.
- ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.
- STRUCTURES TO BE ABANDONED
 - STRUCTURES TO BE REMOVED
 - STRUCTURES TO BE PROTECTED
 - THINGS TO BE REMOVED
 - THINGS TO BE REMOVED
 - SEDIMENT CONTROL REQUIRED

GEODETIC BENCHMARK ELEV. = 365.566

BM 1945 RWBY 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING R.R. RD. OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

- MUNICIPAL SERVICES:**
- EXISTING SANITARY SEWER
 - EXISTING STORM SEWER
 - EXISTING WATER MAIN
 - PROPOSED SANITARY SEWER
 - PROPOSED STORM SEWER
 - PROPOSED WATER MAIN

- UTILITIES:**
- BELL TELEPHONE
 - ENBRIDGE GAS
 - HYDRO
 - HYDRO ONE
 - RODGERS COMMUNICATIONS



REVISIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/2026	JRS
2	Revised per Region Comments	FEB. 25/26	D.R.
3	Revised per Region Comments	JAN. 18/26	D.R.
4	ISSUED FOR REVIEW MATERIAL	JAN. 27/26	D.R.

SNYDER'S ROAD EAST

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

SNYDER'S ROAD EAST

STA. 0+271 TO 0+407

PLAN & PROFILE

SCALE: HORIZ. 1:200 VERT. 1:50

DATE: MAY 15, 2026


DRAWN BY: J.S.

DESIGNED BY: J.S.


REVIEWED BY: D.R.

ENGINEERS STAMP


19 OF 28




**INTERSECTION GRADING
NOTRE DAME DRIVE AT DEERFIELD AVENUE
SCALE: 1:150**



**INTERSECTION GRADING
DEERFIELD AVENUE AT ALICE CRESCENT
SCALE: 1:150**



**INTERSECTION GRADING
DEERFIELD AVENUE AT ALICE CRESCENT
SCALE: 1:150**



**INTERSECTION GRADING
ALICE CRESCENT AT REDFORD DRIVE
SCALE: 1:150**

KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEGMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

8M BMS BMS 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RD TO OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 5.2M ABOVE CHAMFER AND 0.4M N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENRIDGE GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/26	JRS

REVISIONS

THE CORPORATION OF THE
TOWNSHIP OF WILMOT
INFRASTRUCTURE SERVICES DEPARTMENT

**PETERSBURG
WATER SYSTEM REPLACEMENT
CONTRACT RFT2026-06**

**PETERSBURG
STA. 0+000 TO 0+000**

INTERSECTION GRADING AND PAVEMENT MARKING

SCALE: HORIZ: 1:150
VERT: 1:50

DATE: MAY 15, 2026


DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.K.

SHEET: 20 OF 28

ENGINEERS STAMP



KEY PLAN

GENERAL NOTES

- THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.
- BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.
- ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.
- ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.
- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEDIMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROP. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 8885 RRM 371. TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RD TO OVER HWY 78. TABLET IS SET IN W FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 5.2m ABOVE CHAMFER AND 0.4m OF S END OF WALL.

MUNICIPAL SERVICES:

- EXISTING SANITARY SEWER
- EXISTING WATER MAIN
- PROPOSED SANITARY SEWER
- PROPOSED FIBRE SEWER
- PROPOSED WATER MAIN

UTILITIES:

- BELL TELEPHONE
- ENRIDGE GAS
- HYDRO
- RODGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/28	JRS

REVISIONS



NOTRE DAME DRIVE





WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

NOTRE DAME DRIVE
STA. 0+050 TO 0+614

PAVEMENT MARKING PLAN

SCALE: HORIZ 1:200 VERT 1:10	ENGINEERS STAMP
DATE: MAY 15, 2028	
DRAWN BY: J.S.	
DESIGNED BY: J.S.	
REVIEWED BY: D.K.	
SHEET: 21 OF 28	



GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURB ARE FROM BASE OF CURB AT GUTTER.

- | | | | |
|---|----------------------------|--|----------------------------------|
|  | STRUCTURES TO BE ABANDONED |  | EX. TACTILE WARNING PLATE |
|  | STRUCTURES TO BE REMOVED |  | PROPOSED TACTILE WARNING PLATE |
|  | TREES TO BE PROTECTED | 361.540
 | EX. ELEVATION
PROP. ELEVATION |
|  | TREES TO BE REMOVED | /// | PIPE INSULATION |
|  | SEDIMENT CONTROL REQUIRED | | |

GEODETIC BENCHMARK ELEV. = 365.566

BM W449 RMW 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP BRIDGE CARRYING REG RD 12 OVER HWY 7/B. TABLET IS SET IN WY FACE S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER & 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES

EXISTING SANITARY SEWER
EXISTING STORM SEWER
EXISTING WATER MAIN
PROPOSED SANITARY SEWER
PROPOSED STORM SEWER
PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE	_____	B _____
ENBRIDGE GAS	_____	C _____
HYDRO	_____	H _____
HYDRO ONE	_____	HO _____
ROGERS COMMUNICATIONS	_____	TV _____

1	ISSUED FOR TENDER	MAY 15/26	JRS
No.	DESCRIPTION	DATE	BY

REVISIONS



THE CORPORATION OF THE
TOWNSHIP OF WILMOT
INFRASTRUCTURE SERVICES DEPARTMENT

PETERSBURG
WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

PETERSBURG

STA. 0+000 TO 0+000

TYPICAL CROSS SECTIONS AND DETAILS

SCALE: _____

HORIZ: 1:100
VERT: 1:50

DATE: _____

MAY 15, 2026

DRAWN BY:
J.S.

DESIGNED BY:

J.S.


















REVIEWED BY:
D.R.

SHEET:

23 OF 28

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEEDMENT CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- PRO. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 8888 RM 371. TABLE SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING RED RD TO OVER HWY 78. TABLE IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 1.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENBRIDGE GAS

HYDRO

HYDRO ONE

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/26	JRS

REVISIONS



DEERFIELD AVE. & REDFORD DR.

WATER SYSTEM REPLACEMENT






















CONTRACT RFT2026-06

DEERFIELD AVE. & REDFORD DR.

STA. 0+000 TO 0+000

DRIVEWAY CROSS SECTIONS

SCALE:	HORIZ: 1:200	VERT: 1:50
DATE:	MAY 15, 2026	ENGINEER'S STAMP
DRAWN BY:	J.S.	
DESIGNED BY:	J.S.	
REVIEWED BY:	D.R.	
SHEET:	24 OF 28	



KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROVE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT GUTTER.

- STRUCTURES TO BE ABANDONED
- STRUCTURES TO BE REMOVED
- TREES TO BE PROTECTED
- TREES TO BE REMOVED
- SEEDING CONTROL REQUIRED
- EX. TACTILE WARNING PLATE
- PROPOSED TACTILE WARNING PLATE
- EX. ELEVATION
- PROF. ELEVATION
- PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM 8885 8886 371. TABLE SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING ROAD TO OVER HWY 78. TABLE IS SET IN FACE ON S END OF WALL AT END OF STEEL CURB RAIL, 1.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENRIDGE GAS

HYDRO

HYDRO

ROGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15/26	JRS

REVISIONS




ALICE CRESCENT WATER SYSTEM REPLACEMENT CONTRACT RFT2026-06

ALICE CRESCENT
STA. 0+021 TO 0+338

DRIVEWAY CROSS SECTIONS

SCALE:	HORIZ 1:200 VERT. 1:50
DATE:	MAY 15, 2026
DRAWN BY:	J.S.
DESIGNED BY:	J.S.
REVIEWED BY:	D.R.
SHEET:	25 OF 28



STAGE 1A (2026) CONSTRUCTION LIMITS: NOTRE DAME DRIVE FROM DEERFIELD AVENUE TO 1337 NOTRE DAME DRIVE STAGE DESCRIPTION: FULL ROAD CLOSURE IS NOT PERMITTED. LANE CLOSURE ON NOTRE DAME DRIVE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW ACCESS FOR NORTHSOUTH TRAFFIC ALONG NOTRE DAME DRIVE. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 1B (2026) CONSTRUCTION LIMITS: NOTRE DAME DRIVE & DEERFIELD AVENUE INTERSECTION STAGE DESCRIPTION: FULL ROAD CLOSURE IS NOT PERMITTED. LANE CLOSURE ON NOTRE DAME DRIVE. CECIL KENNEDY COURT AND DEERFIELD AVENUE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW ACCESS TO CECIL KENNEDY COURT, DEERFIELD AVENUE AND NORTHSOUTH TRAFFIC ALONG NOTRE DAME DRIVE. INTERSECTION TO BE RESTORED TO BASE ASPHALT ONCE UNDERGROUND WORK IS COMPLETE. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 1C (2026) CONSTRUCTION LIMITS: NOTRE DAME DRIVE FROM DEERFIELD AVENUE TO 50m NORTH OF SNYDER'S ROAD EAST STAGE DESCRIPTION: FULL ROAD CLOSURE IS NOT PERMITTED. LANE CLOSURE ON NOTRE DAME DRIVE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW ACCESS FOR NORTHSOUTH TRAFFIC ALONG NOTRE DAME DRIVE. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 1D (2026) CONSTRUCTION LIMITS: NOTRE DAME DRIVE & SNYDER'S ROAD EAST INTERSECTION STAGE DESCRIPTION: FULL ROAD CLOSURE IS NOT PERMITTED. LANE CLOSURE ON NOTRE DAME DRIVE AND SNYDER'S ROAD EAST. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW ACCESS FOR NORTHSOUTH TRAFFIC ALONG NOTRE DAME DRIVE AND EASTWEST TRAFFIC ALONG SNYDER'S ROAD EAST. INTERSECTION TO BE RESTORED TO BASE ASPHALT ONCE UNDERGROUND WORK IS COMPLETE. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 1E (2026) CONSTRUCTION LIMITS: SNYDER'S ROAD EAST FROM NOTRE DAME DRIVE INTERSECTION TO 1739 SNYDER'S ROAD EAST STAGE DESCRIPTION: FULL ROAD CLOSURE IS NOT PERMITTED. LANE CLOSURE ON SNYDER'S ROAD EAST. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW ACCESS FOR EAST WEST TRAFFIC ALONG SNYDER'S ROAD EAST. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 2A (2027) CONSTRUCTION LIMITS: DEERFIELD AVENUE (FULL LENGTH) STAGE DESCRIPTION: FULL ROAD CLOSURE FOR FULL LENGTH OF DEERFIELD AVENUE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW FULL ACCESS. ALICE CRESCENT SHALL BE UTILIZED AS A DETOUR WHENEVER POSSIBLE. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 2B (2027) CONSTRUCTION LIMITS: ALICE CRESCENT FROM DEERFIELD AVENUE TO DEERFIELD AVENUE STAGE DESCRIPTION: FULL ROAD CLOSURE FOR ALICE CRESCENT FROM DEERFIELD AVENUE TO DEERFIELD AVENUE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW FULL ACCESS. DEERFIELD AVENUE SHALL BE UTILIZED AS A DETOUR. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.
STAGE 2C (2027) CONSTRUCTION LIMITS: ALICE CRESCENT FROM DEERFIELD AVENUE TO REDFORD DRIVE AND REDFORD DRIVE (FULL LENGTH) STAGE DESCRIPTION: FULL ROAD CLOSURE FOR ALICE CRESCENT FROM DEERFIELD AVENUE TO REDFORD DRIVE AND THE FULL LENGTH OF REDFORD DRIVE. CONTRACTOR TO ACCOMMODATE ALL LOCAL TRAFFIC TO ALLOW FULL ACCESS. THE CONTRACTOR IS TO MANAGE THE LOCAL TRAFFIC AND NOTIFY THE AFFECTED RESIDENCES ACCORDINGLY THROUGH NOTICES, SIGNAGE AND ANY OTHER MEANS NECESSARY. TRAFFIC CONTROL SHALL BE ACCORDING TO OTM BOOK 7.

KEY PLAN

GENERAL NOTES

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND ABOVE GROUND UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR(S) WILL PROBE THE POSITION OF ALL SUCH UTILITIES AND STRUCTURES AND WILL ASSUME LIABILITY FOR DAMAGE TO THEM.

ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

ALL DIMENSIONS RELATED TO CURBS ARE FROM BASE OF CURB AT OUTER.

STRUCTURES TO BE ABANDONED

STRUCTURES TO BE REMOVED

TREES TO BE PROTECTED

TREES TO BE REMOVED

SEEDING CONTROL REQUIRED

EX. TACTILE WARNING PLATE

PROPOSED TACTILE WARNING PLATE

EX. ELEVATION

PROP. ELEVATION

PIPE INSULATION

GEODETIC BENCHMARK ELEV. = 365.566

BM WMS BWM 371, TABLET SET IN CONC. RETAINING WALL ALONG TOP OF BRIDGE CARRYING Rte 10 OVER HWY 78. TABLET IS SET IN FACE ON S END OF WALL AT END OF STEEL GUIDE RAIL, 0.2m ABOVE CHAMFER AND 0.4m N OF S END OF WALL.

MUNICIPAL SERVICES:

EXISTING SANITARY SEWER

EXISTING STORM SEWER

EXISTING WATER MAIN

PROPOSED SANITARY SEWER

PROPOSED STORM SEWER

PROPOSED WATER MAIN

UTILITIES:

BELL TELEPHONE

ENRIDGE GAS

HYDRO ONE

RODGERS COMMUNICATIONS

No.	DESCRIPTION	DATE	BY
1	ISSUED FOR TENDER	MAY 15, 2026	JPS

REVISIONS

THE CORPORATION OF THE
TOWNSHIP OF WILMOT
INFRASTRUCTURE SERVICES DEPARTMENT

PETERSBURG

WATER SYSTEM REPLACEMENT

CONTRACT RFT2026-06

PETERSBURG

STA. 0+000 TO 0+000

CONSTRUCTION STAGING PLAN

SCALE: HORIZ. 1:1000
VERT. 1:100

DATE: MAY 15, 2026

DRAWN BY: J.S.

DESIGNED BY: J.S.

REVIEWED BY: D.R.

SHEET: 27 OF 28

ENGINEERS STAMP

